UL-EU CERTIFICATE

Certificate No. UL-EU-02630

Page 1/4

Date of Issue 2025-03-28

Certificate Holder FLEX ELECTRONICS (SHANGHAI) CO LTD

33 FUHUA ROAD, JIADING DISTRICT SHANGHAI 201818

CHINA

Production site FLEX ELECTRONICS (SHANGHAI) CO LTD

33 FUHUA ROAD, JIADING DISTRICT SHANGHAI 201818

CHINA

See Page 2 for additional information

Certified Product DC-DC Converter

Model BMR323X1X2X3X4/X5X6X7

See page 2 for additional Information

Trademark flex



Ratings (optional)

For model BMR323X1X2X3X4/X5X6X7 Input: 40-60Vdc, 15A Output: 5-7.5Vdc, 90A

for building-in, IPX0

Tested acc. to EN IEC 62368-1:2020, EN IEC 62368-1:2020/A11:2020

Test Report No. E496569-A6056-CB-1 issued on 2025-03-28

Additional

Expire date 2027-02-15

Certification Manager Thomas Wilson

UL International Demko A/S Borupvang 5A 2750 Ballerup Denmark This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this Certificate, in accordance with the UL-EU Requirements. As specified in the respective appendices below the designated Certificate holder is entitled to use the UL-EU Mark, or its alternative for cables, for the Certificate Product manufactured at the production site(s) identified above, in accordance with the UL-EU Mark Service Agreement, including without limitation the UL-EU Mark Testing and Certification Services Service Terms. Only those Products bearing the UL-EU Mark for Europe should be considered as being covered by UL's UL-EU Mark Service. This Certificate shall remain valid through the expiration date, unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard(s) identified on this Certificate is amended or withdrawn prior the expiration date.

www.ul.com



Appendix UL-EU CERTIFICATE

Certificate No. UL-EU-02630

Page 2/4

Date of Issue 2025-03-28

Factories:

FLEXTRONICS TECHNOLOGY(PENANG)SDN BHD BLOK A1, NO.2466, TINGKAT PERUSAHAAN 4A KAWASAN PERUSAHAAN PERAI PERAI, Pulau Pinang 13600 MALAYSIA

Additional Model Detail(s):

BMR323X1X2X3X4/X5X6X7,

Mechanical solution (X1, X2)

X1 defines the Mechanical pin option

X1=0: TH - Standard Pin length

X1=1: SMD, box pins

X1=2-9: TBD

X2 defines the Mechanical option

X2=0: Open frame

X2=1-9: TBD

Additional variants (X3X4)

X3X4 is used as sequence number for additional variants:

X3X4 can be a number between 0 and 99

X3X4=00: First 8:1 trafo variant, 40-60Vin, Vout 6.75Vo. (Trafo 8:1)

X3X4=01-49: TBD

X3X4=50: First 8:1 trafo variant, 40-60Vin, Vout 6.75Vo. (Trafo 8:1) driver change

X3X4=51-99: TBD CDA variants (X5X6X7)

X5X6X7 is used as sequence number for CDA files:

Model number is CDA102 0323/ X5X6X7

X5X6X7 can be a number between 001 and 999. Both general numbers specified in the datasheet and customer unique

numbers exists. All CDA sequence number are SW unique

Standard CDA should be used, starting from /001

Appendix UL-EU CERTIFICATE

Certificate No. UL-EU-02630

Page 3/4

Date of Issue 2025-03-28

Certification Mark UL-EU Mark

The UL-EU Mark, as displayed below, shall appear on certified products only. Minimum size is not specified, as long as the Mark is legible. The following is suggested.



The minimum height of the registered trademark symbol ® shall be 1 mm. When the overall diameter of the UL-EU Mark is less than 9.5 mm, the trademark symbol may be omitted if it is not legible to the naked eye.

The UL-EU Mark may appear on a label, nameplate, or may be cast, stamped or molded into the product. When appearing on a label or nameplate, the Manufacturer's name or trademark along with a model number are also required on that same label or nameplate. If cast, stamped or molded, the Certificate Manufacturer's name or trademark and model number shall also appear elsewhere on the product.

All content shall be in accordance with the details provided on this UL-EU Certificate.

PROCUREMENT

The Production site may reproduce the Mark or obtain it from a UL authorized supplier. The list of UL authorized suppliers can be found on UL's online directory at www.ul.com

Appendix UL-EU CERTIFICATE

Certificate No. UL-EU-02630
Page 4/4
Date of Issue 2025-03-28

Alternate certification Mark for cables

As an alternative to the UL-EU Mark specified above the alternate UL-EU Mark, displayed below, can appear on certified cables only. Minimum size is not specified, as long as the mark is legible. The following is suggested:

(UL)-EU

The alternate UL-EU Mark may be cast, stamped or molded into the cable and continue throughout the length of the cable as specified in the applicable cable standard.

All content shall be in accordance with the details provided on this UL-EU Certificate.