# **UL-EU CERTIFICATE**

Certificate No. Page Date of Issue	UL-EU-02176 1/4 2021-12-14
Certificate Holder	FLEX ELECTRONICS (SHANGHAI) CO LTD 33 FUHUA ROAD,JIADING DISTRICT SHANGHAI 201818 CHINA
Manufacturer	FLEX ELECTRONICS (SHANGHAI) CO LTD 33 FUHUA ROAD,JIADING DISTRICT SHANGHAI 201818 CHINA
Production site	FLEX ELECTRONICS (SHANGHAI) CO LTD 33 FUHUA ROAD,JIADING DISTRICT SHANGHAI 201818 CHINA
Certified Product	DC-DC Converter
Model	Power board BMR520X1X2X3X4, Control board BMR520X1X2X3X4/X5X6X7, See page 2 for additional Information
Trademark	flex flex. flex.
Ratings Tested acc. to Test Report No.	(optional) Input: 42.5-75Vdc, Output: 12Vdc, 300W EN 62368-1:2014, EN 62368-1:2014/A11:2017 E496569-A6035-CB-1 issued on 2021-12-13
Additional Expire date	2023-01-06

Certification Manager Jan-Erik Storgaard UL International Demko A/S Borupvang 5A 2750 Ballerup Denmark This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this Certificate, in accordance with the UL-EU Requirements. As specified in the respective appendices below the designated Certificate holder is entitled to use the UL-EU Mark, or its alternative for cables, for the Certified Product manufactured at the production site(s) identified above, in accordance with the UL-EU Mark Service Agreement, including without limitation the UL-EU Mark Service UM ark Service Agreement, including without limitation the UL-EU Mark Service This Certification Services Service Terms. Only those Products bearing the UL-EU Mark Service that the service agreement including without limitation if the Standard(s) identified on this Certificate is amended or withdrawn prior the expiration date.

www.ul.com



## **Appendix UL-EU CERTIFICATE**

Certificate No. UL-EU-02176 2/4

Page

Date of Issue 2021-12-14

### Additional Model(s):

Series: Power board BMR520X1X2X3X4, Control board BMR520X1X2X3X4/X5X6X7

### Additional variants (X1X2)

Additional product set variants	
Standard Power Blade, with baseplate, 42.5-75Vin, 12Vout, 300W	
Standard Control Assembly, integrated Control Board and Power Board, three phases	
Example: Standard Control Assembly, integrated Control Board and Power Board, two phases	
TBD	
	21-29

### Reserved for future use (X3X4)

Options	
For Standard Power Blade and Standard Control Assembly	
Specific mechanical design for Ericsson – flat baseplate on both sides	
TBD	

### CDA variants (X5X6X7)

### X5X6X7 is used as sequence number for CDA file

X5, X6, X7 can be a number between 000 and 999. Both general numbers specified in the datasheet and customer unique numbers exists.



## Appendix UL-EU CERTIFICATE

Certificate No. UL-EU-02176 Page 3/4

Date of Issue 2021-12-14

#### **Certification Mark UL-EU Mark**

The UL-EU Mark, as displayed below, shall appear on certified products only. Minimum size is not specified, as long as the Mark is legible. The following is suggested.



The minimum height of the registered trademark symbol ® shall be 1 mm. When the overall diameter of the UL-EU Mark is less than 9.5 mm, the trademark symbol may be omitted if it is not legible to the naked eye.

The UL-EU Mark may appear on a label, nameplate, or may be cast, stamped or molded into the product. When appearing on a label or nameplate, the Manufacturer's name or trademark along with a model number are also required on that same label or nameplate. If cast, stamped or molded, the Certificate Manufacturer's name or trademark and model number shall also appear elsewhere on the product.

All content shall be in accordance with the details provided on this UL-EU Certificate.

### PROCUREMENT

The Production site may reproduce the Mark or obtain it from a UL authorized supplier. The list of UL authorized suppliers can be found on UL's online directory at <u>www.ul.com</u>

Certification Body



## **Appendix UL-EU CERTIFICATE**

 Certificate No.
 UL-EU-02176

 Page
 4/4

 Date of Issue
 2021-12-14

#### Alternate certification Mark for cables

As an alternative to the UL-EU Mark specified above the alternate UL-EU Mark, displayed below, can appear on certified cables only. Minimum size is not specified, as long as the mark is legible. The following is suggested:

### (UL)-EU

The alternate UL-EU Mark may be cast, stamped or molded into the cable and continue throughout the length of the cable as specified in the applicable cable standard.

All content shall be in accordance with the details provided on this UL-EU Certificate.

Certification Body

